

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @WestonSolutions.com]; R3 Clients[R3_Clients@epa.gov]
From: Poff, Kevin[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CE5DA896C6A74A6A89F5D9E64B083492-KPOFF]
Sent: Thur 12/12/2019 7:31:44 PM (UTC)
Subject: CT8867 - SHILOH CHURCH RD REMOVAL ACTION - Final Lab Assignment Report
CT8867 - SHILOH CHURCH RD REMOVAL ACTION - Final Lab Assignment Report.pdf

Client's Notification

In regards to RAS 48695, a separate notification will be sent to the samplers from SMO with the CLP RAS Laboratory assignment for those parameters. If you have any questions regarding the RAS, please contact J. Burman at 410-305-2743. Please follow the directions for the notification of the sample shipment for the RAS-CLP case.

If you have any questions, please let us know. Thanks and have a great day !

Kevin Poff
Chemist
USEPA Environmental Science Center
701 Mapes Road
Fort Meade, MD 20755
(410) 305-2938 (W)
(410) 305-3009 (F)
Poff.kevin@epa.gov